

The Extreme-uv Stellar Characterization for Atmospheric Physics and Evolution (ESCAPE) Mission Concept

Exploring the physics and evolution of potentially habitable worlds

Kevin France
University of Colorado
APAC – 24 June 2020



Laboratory for Atmospheric and Space Physics
University of Colorado Boulder



PennState




CENTER FOR
ASTROPHYSICS
HARVARD & SMITHSONIAN







NASA
Marshall Space Flight Center







The liquid water “Habitable Zone”







The liquid water “Habitable Zone”







The liquid water “Habitable Zone”







The liquid water “Habitable Zone”










The liquid water “Habitable Zone”








A more complete picture of the Habitable Zone: Stellar impacts and space weather






A more complete picture of the Habitable Zone: Stellar impacts and space weather




Which star–planet systems are conducive to the maintenance of habitable conditions?


Where should NASA and its partners commit their resources?




Stellar EUV (10 - 91nm) flux: the driver of atmospheric escape






High-energy stellar photons control the atmospheric physics and chemistry of temperate, rocky planets. The EUV dominates heating of the upper atmosphere and drives escape.








EUV environment is the dominant uncertainty for exoplanet atmosphere survival








EUV environment is the dominant uncertainty for exoplanet atmosphere survival





EUV environment is the dominant uncertainty for exoplanet atmosphere survival






Impulsive Stellar Eruptions Drive Atmospheric Escape




Flares & CMEs

Optically Inactive M star ($P_{\text{rot}} \sim 40$ days).





- Flares may dominate EUV output of active stars
- Stellar particle bombardment drives ion escape, charge exchange, pickup/sputtering loss processes





ESCAPE Science Objectives

- 1) Determine if stellar radiation environments permit habitable conditions to exist on rocky exoplanets





ESCAPE Science Objectives

- 1) Determine if stellar radiation environments permit habitable conditions to exist on rocky exoplanets
- 2) Characterize stellar EUV evolution & flares, and their impact on habitable environments




ESCAPE Science Objectives

- 1) Determine if stellar radiation environments permit habitable conditions to exist on rocky exoplanets
- 2) Characterize stellar EUV evolution & flares, and their impact on habitable environments
- 3) Determine the impact of coronal mass ejections on atmospheric mass loss





The ESCAPE Science and Implementation



EUV & FUV (7 - 180 nm) spectroscopy of 200 nearby stars, including most promising exoplanet hosts

Atmospheric models using ESCAPE data as inputs quantify atmospheric loss rates and identify the most promising habitable planet targets








The ESCAPE Science and Implementation



EUV & FUV (7 - 180 nm)
spectroscopy of 200
nearby stars, including
most promising exoplanet
hosts

Launch in spring 2025
with a 2 year primary
mission







The ESCAPE Science Program




$> 100 \times$ sensitivity of EUVE:


First statistical study of EUV irradiance on
planet-hosting stars







- > 100 x sensitivity of EUVE:
- 1) CME frequency distribution via **coronal dimming** (10 – 15 F, G, and K stars)
 - 2) Relationship between flares and CMEs
 - 3) CME kinetic energy for brightest stars





The ESCAPE Science Team

(Characterization for Atmospheric Physics and Evolution)

The study of stellar impacts on terrestrial exoplanets is an inherently interdisciplinary endeavor.

The ESCAPE science team combines experts from astrophysics, heliophysics, and planetary science.

Principal Investigator	Kevin France (Colorado)
Project Scientist	Jeremy Drake (CfA/SAO)
Instrument Scientist	Brian Fleming (Colorado)



The ESCAPE Mission

(Euv Stellar Characterization for Atmospheric Physics and Evolution)





ESCAPE Hardware:

- Instrument, MSFC, UCB, SAO, PSU, LASP
- Instrument I&T, LASP
- Observatory I&T, Ball

ESCAPE Data:



- Processing, LASP
- Archiving, MAST






The ESCAPE Instrument

The ESCAPE Small Explorer Concept
(Euv Stellar Characterization for Atmospheric Physics and Evolution)
(Euv Stellar Characterization for Atmospheric Physics and Evolution)





The ESCAPE Instrument

The ESCAPE Small Explorer Concept
(Euv Stellar Characterization for Atmospheric Physics and Evolution)
(Euv Stellar Characterization for Atmospheric Physics and Evolution)

ESCAPE Telescope:




CENTER FOR
ASTROPHYSICS

HARVARD & SMITHSONIAN



Marshall Space
Flight Center

Primary & Secondary Mirror
Module Fabrication and Alignment




Instrument Design



CLASP

Fabricated and aligned by NASA/MSFC and SAO, building on X-ray telescope heritage in APD and HPD

- Grazing incidence Hettrick–Boywer design (Gregorian)
- Electroform Nickel Reconstruction





The ESCAPE Instrument

(Euv Stellar Characterization for Atmospheric Physics and Evolution)



ESCAPE Gratings:

- Grazing and normal incidence gratings
- Electron-beam lithography
- Fabricated by Penn State, building on X-ray rocket and SAT heritage




PennState




The ESCAPE Instrument

(Euv Stellar Characterization for Atmospheric Physics and Evolution)



ESCAPE Detector:


- 125 x 40mm MCP, XDL readout, KBr photocathode
- Fabricated by SSL/UCB, building on heritage from Hubble, FUSE, EUVE, and numerous helio and PS missions






The ESCAPE Instrument



(Euv Stellar Characterization for Atmospheric Physics and Evolution)



ESCAPE Detector:

- 125 x 40mm MCP, XDL readout, KBr photocathode
- Fabricated by SSL/UCB, building on heritage from Hubble, FUSE, EUVE, and numerous helio and PS missions
- Demonstration system successfully flown on NASA rocket mission in 2019 (SISTINE)





The ESCAPE Instrument



(Euv Stellar Characterization for Atmospheric Physics and Evolution)



ESCAPE Spacecraft:

- Ball BCP 100 spacecraft
- ADCS system (< 5" pointing stability and < 30" pointing control)
- Ka and S-band comm.
- Fabricated and integrated by Ball, building on heritage from WISE, GPIM, and in development for IXPE and SPHEREx







The ESCAPE Mission

(Euv Stellar Characterization for Atmospheric Physics and Evolution)

ESCAPE explores the high-energy radiation environments of nearby habitable zones.





The ESCAPE Mission

(Extreme Ultraviolet Stellar Characterization for Atmospheric Physics and Evolution)

ESCAPE explores the high-energy radiation environments of nearby habitable zones.

ESCAPE provides the essential stellar context for exoplanet habitability and provides a roadmap for future life-detection missions.





The ESCAPE Mission

(Euv Stellar Characterization for Atmospheric Physics and Evolution)

ESCAPE explores the high-energy radiation environments of nearby habitable zones.

ESCAPE provides the essential stellar context for exoplanet habitability and provides a roadmap for future life-detection missions.


High-throughput grazing incidence optical system and heritage spacecraft enables EUV observations of 200 nearby stars of a range of masses and ages to be surveyed in a 2 year mission.



The ESCAPE Mission

(Euv Stellar Characterization for Atmospheric Physics and Evolution)

Backup Slides




The ESCAPE Science Team


Characterizing Stellar Impacts on Planets and Planetary Systems
(Physics and Evolution)

The study of stellar impacts on terrestrial exoplanets is an inherently interdisciplinary endeavor.

The ESCAPE science team combines experts from astrophysics, heliophysics, and planetary science.

Name	Role (Sci Section)
<i>Kevin France, CU, LASP</i>	<i>PI; responsible for overall mission success</i>
<i>Brian Fleming, CU</i>	<i>IS & DPI; system optical design lead</i>
<i>Jeremy Drake, SAO</i>	<i>PS; planning/execution of science program</i>
<i>James Mason, GSFC</i>	<i>DPS; dimming analysis lead (D.2.3)</i>
SCIENCE CONTRIBUTION	
<i>Joel Allred, GSFC</i>	<i>Co-I; EUV flare modeling lead (D.2.3)</i>
<i>Ute Amerstorfer, IWF</i>	<i>Collab.; ion processes modeling (D.2.3)</i>
<i>Martin Barstow, Leicester</i>	<i>Collab.: EUV ISM studies lead (D.2.4)</i>
<i>Zach Berta-Thompson, CU</i>	<i>Co-I; M dwarf follow-up lead (D.2.1)</i>
<i>Vincent Bourrier, U Gen</i>	<i>Collab.; escape observer (D.2.1)</i>
<i>Luca Fossati, IWF Graz</i>	<i>Collab.; escape observer (D.2.1)</i>
<i>Cynthia Froning, UT</i>	<i>Co-I; FUV observation lead (D.2.1)</i>
<i>Cecilia Garraffa, CfA</i>	<i>Co-I; stellar wind modeling lead (D.2.1,3)</i>
<i>Guillaume Gronoff, LaRC</i>	<i>Co-I; particle influences lead (D.2.3)</i>
<i>Meng Jin, LM</i>	<i>Co-I; dimming modeling lead (D.2.3)</i>
<i>Tommi Koskinen, UofA</i>	<i>Co-I; thermal escape modeling lead (D.2.1)</i>
<i>Adam Kowalski, CU</i>	<i>Co-I; stellar flare analysis lead (D.2.3)</i>
<i>Herbert Lichtenegger, IWF</i>	<i>Collab.; ion processes modeling (D.2.3)</i>
<i>Jeffrey Linsky, CU</i>	<i>Co-I; ISM correction lead (D.2.4)</i>
<i>Rachel Osten, JHU/STScI</i>	<i>Co-I; stellar CME & particle lead (D.2.3)</i>
<i>Sabrina Savage, MSFC</i>	<i>Co-I; solar contexts lead (D.2.2)</i>
<i>Allison Youngblood, GSFC</i>	<i>Co-I; M dwarf EUV analysis lead (D.2.1)</i>
INSTRUMENT CONTRIBUTION	
<i>Matthew Beasley, SwRI</i>	<i>Co-I; telescope design scientist</i>
<i>James Green, CU</i>	<i>Co-I; EUV calibration lead</i>
<i>Ken Kobayashi, MSFC</i>	<i>Co-I; telescope optic scientist (D.2.2)</i>
<i>Randall McEntaffer, PSU</i>	<i>Co-I; diffraction gratings lead</i>
<i>David McKenzie, MSFC</i>	<i>Co-I; telescope fabrication lead (D.2.2)</i>
<i>Suzanne Romaine, SAO</i>	<i>Co-I; optical alignment lead</i>
<i>Oswald Siegmund, UCB</i>	<i>Co-I; Detector scientist</i>





The ESCAPE Mission


(Euv Stellar Characterization for Atmospheric Physics and Evolution)



ESCAPE Hardware:

- Instrument, MSFC, UCB, SAO, PSU, LASP
- Instrument I&T, LASP
- Observatory I&T, Ball


ESCAPE Data:

- Processing, LASP
- Archiving, MAST








The Local ISM



The EUV *is* observable. The challenge has been an observational one, not an astrophysical one.



The ESCAPE Target Sample



Target list will be updated with new RV and transit results during Phases B – D.